



Painesville Township Fire Department

Run Totals

Alarm Date Between {01/01/2009} And {12/31/2009}

<i>Incident Type</i>	<i>Count</i>	<i>Pct of Incidents</i>	<i>Total Est Loss</i>	<i>Pct of Losses</i>
1 Fire				
111 Building fire	45	1.88 %	\$574,500	83.34 %
113 Cooking fire, confined to container	13	0.54 %	\$0	0.00 %
114 Chimney or flue fire, confined to chimney or flue	5	0.21 %	\$0	0.00 %
116 Fuel burner/boiler malfunction, fire confined	1	0.04 %	\$0	0.00 %
118 Trash or rubbish fire, contained	3	0.13 %	\$0	0.00 %
120 Fire in mobile prop used as a fixed struc, Other	1	0.04 %	\$0	0.00 %
131 Passenger vehicle fire	10	0.42 %	\$7,800	1.13 %
132 Road freight or transport vehicle fire	3	0.13 %	\$12,000	1.74 %
138 Off-road vehicle or heavy equipment fire	2	0.08 %	\$5,000	0.72 %
140 Natural vegetation fire, Other	7	0.29 %	\$0	0.00 %
141 Forest, woods or wildland fire	1	0.04 %	\$0	0.00 %
142 Brush or brush-and-grass mixture fire	6	0.25 %	\$0	0.00 %
143 Grass fire	4	0.17 %	\$0	0.00 %
150 Outside rubbish fire, Other	1	0.04 %	\$0	0.00 %
151 Outside rubbish, trash or waste fire	6	0.25 %	\$0	0.00 %
154 Dumpster or other outside trash receptacle fire	3	0.13 %	\$0	0.00 %
160 Special outside fire, Other	6	0.25 %	\$0	0.00 %
162 Outside equipment fire	2	0.08 %	\$0	0.00 %
170 Cultivated vegetation, crop fire, Other	1	0.04 %	\$0	0.00 %
173 Cultivated trees or nursery stock fire	1	0.04 %	\$0	0.00 %
	121	5.05 %	\$599,300	86.94 %
2 Overpressure Rupture, Explosion, Overheat(no fire)				
200 Overpressure rupture, explosion, overheat other	1	0.04 %	\$0	0.00 %
212 Overpressure rupture of steam boiler	1	0.04 %	\$0	0.00 %
221 Overpressure rupture of air or gas pipe/pipeline	1	0.04 %	\$0	0.00 %
231 Chemical reaction rupture of process vessel	1	0.04 %	\$0	0.00 %
	4	0.17 %	\$0	0.00 %
3 Rescue & Emergency Medical Service Incident				
300 Rescue, EMS incident, other	153	6.39 %	\$0	0.00 %
311 Medical assist, assist EMS crew	24	1.00 %	\$0	0.00 %
321 EMS call, excluding vehicle accident with injury	1,312	54.76 %	\$0	0.00 %
322 Motor vehicle accident with injuries	47	1.96 %	\$0	0.00 %
323 Motor vehicle/pedestrian accident (MV Ped)	6	0.25 %	\$0	0.00 %
324 Motor Vehicle Accident with no injuries	41	1.71 %	\$0	0.00 %
331 Lock-in (if lock out , use 511)	5	0.21 %	\$0	0.00 %
350 Extrication, rescue, Other	1	0.04 %	\$0	0.00 %
363 Swift water rescue	1	0.04 %	\$0	0.00 %
381 Rescue or EMS standby	2	0.08 %	\$0	0.00 %



Painesville Township Fire Department

Run Totals

Alarm Date Between {01/01/2009} And {12/31/2009}

<i>Incident Type</i>	<i>Count</i>	<i>Pct of Incidents</i>	<i>Total Est Loss</i>	<i>Pct of Losses</i>
	<i>1,592</i>	<i>66.44%</i>	<i>\$0</i>	<i>0.00%</i>
4 Hazardous Condition (No Fire)				
400 Hazardous condition, Other	4	0.17 %	\$0	0.00 %
410 Combustible/flammable gas/liquid condition, other	1	0.04 %	\$0	0.00 %
411 Gasoline or other flammable liquid spill	12	0.50 %	\$0	0.00 %
412 Gas leak (natural gas or LPG)	15	0.63 %	\$0	0.00 %
413 Oil or other combustible liquid spill	2	0.08 %	\$0	0.00 %
422 Chemical spill or leak	2	0.08 %	\$0	0.00 %
424 Carbon monoxide incident	20	0.83 %	\$0	0.00 %
440 Electrical wiring/equipment problem, Other	8	0.33 %	\$0	0.00 %
441 Heat from short circuit (wiring), defective/worn	3	0.13 %	\$0	0.00 %
442 Overheated motor	4	0.17 %	\$0	0.00 %
443 Breakdown of light ballast	1	0.04 %	\$0	0.00 %
444 Power line down	52	2.17 %	\$0	0.00 %
445 Arcing, shorted electrical equipment	12	0.50 %	\$0	0.00 %
461 Building or structure weakened or collapsed	4	0.17 %	\$90,000	13.05 %
	<i>140</i>	<i>5.84%</i>	<i>\$90,000</i>	<i>13.05%</i>

5 Service Call

500 Service Call, other	28	1.17 %	\$0	0.00 %
510 Person in distress, Other	3	0.13 %	\$0	0.00 %
511 Lock-out	15	0.63 %	\$0	0.00 %
512 Ring or jewelry removal	1	0.04 %	\$0	0.00 %
520 Water problem, Other	1	0.04 %	\$0	0.00 %
521 Water evacuation	1	0.04 %	\$0	0.00 %
522 Water or steam leak	8	0.33 %	\$0	0.00 %
531 Smoke or odor removal	6	0.25 %	\$0	0.00 %
542 Animal rescue	2	0.08 %	\$0	0.00 %
550 Public service assistance, Other	3	0.13 %	\$0	0.00 %
551 Assist police or other governmental agency	9	0.38 %	\$0	0.00 %
552 Police matter	20	0.83 %	\$0	0.00 %
553 Public service	7	0.29 %	\$0	0.00 %
554 Assist invalid	72	3.01 %	\$0	0.00 %
561 Unauthorized burning	42	1.75 %	\$0	0.00 %
571 Cover assignment, standby, moveup	4	0.17 %	\$0	0.00 %
	<i>222</i>	<i>9.27%</i>	<i>\$0</i>	<i>0.00%</i>

6 Good Intent Call

600 Good intent call, Other	59	2.46 %	\$0	0.00 %
611 Dispatched & cancelled en route	106	4.42	\$0	0.00



Painesville Township Fire Department

Run Totals

Alarm Date Between {01/01/2009} And {12/31/2009}

<i>Incident Type</i>	<i>Count</i>	<i>Pct of Incidents</i>	<i>Total Est Loss</i>	<i>Pct of Losses</i>
6 Good Intent Call				
621 Wrong location	2	0.08 %	\$0	0.00 %
622 No Incident found on arrival at dispatch address	9	0.38 %	\$0	0.00 %
631 Authorized controlled burning	10	0.42 %	\$0	0.00 %
632 Prescribed fire	1	0.04 %	\$0	0.00 %
650 Steam, Other gas mistaken for smoke, Other	2	0.08 %	\$0	0.00 %
651 Smoke scare, odor of smoke	15	0.63 %	\$0	0.00 %
652 Steam, vapor, fog or dust thought to be smoke	1	0.04 %	\$0	0.00 %
671 HazMat release investigation w/no HazMat	12	0.50 %	\$0	0.00 %
672 Biological hazard investigation	1	0.04 %	\$0	0.00 %
	218	9.10 %	\$0	0.00 %
7 False Alarm & False Call				
700 False alarm or false call, Other	21	0.88 %	\$0	0.00 %
730 System malfunction, Other	7	0.29 %	\$0	0.00 %
733 Smoke detector activation due to malfunction	8	0.33 %	\$0	0.00 %
735 Alarm system sounded due to malfunction	6	0.25 %	\$0	0.00 %
736 CO detector activation due to malfunction	8	0.33 %	\$0	0.00 %
740 Unintentional transmission of alarm, Other	6	0.25 %	\$0	0.00 %
741 Sprinkler activation, no fire - unintentional	2	0.08 %	\$0	0.00 %
743 Smoke detector activation, no fire - unintentional	3	0.13 %	\$0	0.00 %
744 Detector activation, no fire - unintentional	2	0.08 %	\$0	0.00 %
745 Alarm system activation, no fire - unintentional	21	0.88 %	\$0	0.00 %
746 Carbon monoxide detector activation, no CO	12	0.50 %	\$0	0.00 %
	96	4.01 %	\$0	0.00 %
8 Severe Weather & Natural Disaster				
800 Severe weather or natural disaster, Other	1	0.04 %	\$0	0.00 %
813 Wind storm, tornado/hurricane assessment	1	0.04 %	\$0	0.00 %
	2	0.08 %	\$0	0.00 %
9 Special Incident Type				
900 Special type of incident, Other	1	0.04 %	\$0	0.00 %
	1	0.04 %	\$0	0.00 %

Total Incident Count: 2396

Total Est Loss:

\$689,300